Page 1 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 15.04.2025 / 0003 Replacing version dated / version: 04.05.2023 / 0002 Valid from: 15.04.2025 PDF print date: 15.04.2025 51121 - Lötzinn bleifrei, ø 1,0 mm, 12,5 g 51122 - Lötzinn bleifrei, ø 1,0 mm, 100 g 51123 - Lötzinn bleifrei, ø 1,0 mm, 250 g 51129 - Lötzinn bleifrei, ø 0,8 mm, 250 g 51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

51121 - Lötzinn bleifrei, ø 1,0 mm, 12,5 g 51122 - Lötzinn bleifrei, ø 1,0 mm, 100 g 51123 - Lötzinn bleifrei, ø 1,0 mm, 250 g 51129 - Lötzinn bleifrei, ø 0,8 mm, 250 g 51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Metal soldering

Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

Wentronic GmbH Pillmannstraße 12 38112 Braunschweig Tel.: +49 (0)531 2 10 58 - 0 Fax: +49 (0)531 2 10 58 - 743 Homepage: www.wentronic.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WEC) +1 872 5888271 (WEC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP)									
Hazard class	Hazard class Hazard category Hazard statement								
Repr.	2	H361f-Suspected of damaging fertility.							

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

Page 2 of 12

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 15.04.2025 / 0003 Replacing version dated / version: 04.05.2023 / 0002 Valid from: 15.04.2025 PDF print date: 15.04.2025 51121 - Lötzinn bleifrei, ø 1,0 mm, 12,5 g 51122 - Lötzinn bleifrei, ø 1,0 mm, 100 g 51123 - Lötzinn bleifrei, ø 1,0 mm, 250 g 51129 - Lötzinn bleifrei, ø 0,8 mm, 250 g 51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g



Warning

H361f-Suspected of damaging fertility.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P201-Obtain special instructions before use. P280-Wear protective gloves / protective clothing / eye protection / face protection. P308+P313-IF exposed or concerned: Get medical advice / attention. P405-Store locked up.

P501-Dispose of contents / container to an approved waste disposal facility.

Silver massive

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

Tin	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	231-141-8
CAS	7440-31-5
content %	90-<100
Classification according to Regulation (EC) 1272/2008 (CLP), M-	
factors	
Silver massive	
Registration number (REACH)	
Index	047-004-00-9
EINECS, ELINCS, NLP, REACH-IT List-No.	231-131-3
CAS	7440-22-4
content %	3-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Repr. 2, H361f
factors	STOT RE 2, H373 (nervous system)
Copper	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	231-159-6
CAS	7440-50-8

Page 3 of 12	
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II	(last amended by Regulation (EU) 2020/878)
Revision date / version: 15.04.2025 / 0003	
Replacing version dated / version: 04.05.2023 / 0002	
Valid from: 15.04.2025	
PDF print date: 15.04.2025	
51121 - Lötzinn bleifrei, ø 1,0 mm, 12,5 g	
51122 - Lötzinn bleifrei, ø 1,0 mm, 100 g	
51123 - Lötzinn bleifrei, ø 1,0 mm, 250 g	
51129 - Lötzinn bleifrei, ø 0,8 mm, 250 g	
51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g	
content %	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP), M-	

factors

(GB)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air.

Skin contact

Normally not irritating to skin. In the event of contact with the hot product: Cool with cold water. Do not pull solidified product from the skin. Cover burns aseptically.

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Typically no exposure pathway. Medical attention recommended.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO2 Extinction powder Sand Metal fire extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Metal oxides

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g

GB

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

Prevent from entering drainage system.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

Allow the hot product to solidify. 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

During processing:

Ensure good ventilation.

Avoid contact with eyes or skin. 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Store in a dry place. 7.3 Specific end use(s)

No information available at present.

For activities involving hazardous substances, a description of suitable protective measures and an effectiveness check are carried out as part of the risk assessment.

There may be activity-specific and substance-specific requirements, these must be checked.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Silver massive		
WEL-TWA: 0,1 mg/m3 (metallic) (WEL-TWA, EU) WEL-STEL:		
Monitoring procedures:			
BMGV:		Other information: ·	

 @
Page 5 of 12
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
Revision date / version: 15.04.2025 / 0003
Replacing version dated / version: 04.05.2023 / 0002
Valid from: 15.04.2025
PDF print date: 15.04.2025
51121 - Lötzinn bleifrei, ø 1,0 mm, 12,5 g
51122 - Lötzinn bleifrei, ø 1,0 mm, 100 g
51123 - Lötzinn bleifrei, ø 1,0 mm, 250 g
51129 - L \dot{a} tzin bleire, ϕ 1,8 mm 250 g

51129 - Lotzinn bleifrei, Ø 0,8 mm, 250 g 51131 - Lötzinn bleifrei, Ø 0,35 mm, 100 g

Chemical Name Copper

	Copper						
WEL-TWA: 1 mg/m3 (dusts and	d mists, as Cu)	WEL-STEL: 2 mg/m3 (dusts and mists, as Cu)					
Monitoring procedures:		ISO 15202 (Workplace air - Determination of metals and metalloids in airborne					
		particulate matter by Inductively Coupled Plasma Atomic Emission					
		Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 2004 (Part 3) - EU project					
	-	BC/CEN/ENTR/000/2002-16 card 84-1 (2004)					
		MDHS 91/2 (Metals and metalloids in workplace air by X-ray fluorescence					
- spectrometry) - 2015 - EU project BC/CEN/ENTR/000/2002-16 card 84-2 (2004							
- NIOSH 7029 (Copper (dust and fume)) - 1994							
	-	NIOSH 7300 (ELEMENTS by ICP (Nitric/Perchloric Acid Ashing)) - 2003					
	-	NIOSH 7301 (Elements by ICP (agua regia ashing)) - 2003					
	-	NIOSH 7303 (Elements by ICP (Hot block HCI/HNO3 digestion)) - 2003					
		OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres					
(Atomic absorption)) - 2002 - EU project BC/CEN/ENTR/000/2002-16 card 84-1							
	-	(2004)					
		OSHA ID-125G (Metal and metalloid particulates in workplace atmospheres					
	-	(ICP)) - 2002					
	OSHA ID-206 (ICP analysis of metal/metallloid particulates from solder						
- operations) - 1991							
BMGV:		Other information:					
Chemical Name	general dust lim	it					

Chemical Name	general dust limit	
WEL-TWA: 10 mg/m3 (inhal. dust	i), 4 mg/m3 WEL-STEL:	
(respir. dust)		
Monitoring procedures:		
BMGV:	Other information:	

Copper									
Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note			
	Environment - freshwater		PNEC	7,8	µg/l				
	Environment - marine		PNEC	5,2	µg/l				
	Environment - sewage treatment plant		PNEC	230	µg/l				
	Environment - sediment, freshwater		PNEC	87	mg/kg dw				
	Environment - sediment, marine		PNEC	676	mg/kg dw				
	Environment - soil		PNEC	65	mg/kg dw				
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	18,2	mg/m3				
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	137	mg/kg bw/day				
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	273	mg/kg bw/day				

Inited Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). | | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |

| BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |

| Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma.

Page 6 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 15.04.2025 / 0003 Replacing version dated / version: 04.05.2023 / 0002 Valid from: 15.04.2025 PDF print date: 15.04.2025 51121 - Lötzinn bleifrei, Ø 1,0 mm, 12,5 g 51122 - Lötzinn bleifrei, Ø 1,0 mm, 100 g 51123 - Lötzinn bleifrei, Ø 1,0 mm, 250 g 51129 - Lötzinn bleifrei, Ø 0,8 mm, 250 g

51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g

Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage. (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU or 2024/869/EU:

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (98/24/EC, 2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE), (15) = Substantial contribution to the total body burden via dermal exposure possible.

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Protective gloves in butyl rubber (EN ISO 374). Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm:

0.5

Permeation time (penetration time) in minutes:

> 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. If applicable Leather gloves.

Leather gloves.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

Page 7 of 12

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 15.04.2025 / 0003 Replacing version dated / version: 04.05.2023 / 0002 Valid from: 15.04.2025 PDF print date: 15.04.2025 51121 - Lötzinn bleifrei, Ø 1,0 mm, 12,5 g 51122 - Lötzinn bleifrei, Ø 1,0 mm, 100 g 51123 - Lötzinn bleifrei, Ø 1,0 mm, 250 g 51129 - Lötzinn bleifrei, Ø 0,8 mm, 250 g 51131 - Lötzinn bleifrei, Ø 0,35 mm, 100 g

9.1 Information on basic physical and chemical properties

Physical state: Solid Colour: Grey, Silver Odour: Slightly 217-219 °C Melting point/freezing point: Boiling point or initial boiling point and boiling range: There is no information available on this parameter. Flammability: No Lower explosion limit: Does not apply to solids. Upper explosion limit: Does not apply to solids. Flash point: Does not apply to solids. Does not apply to solids. Auto-ignition temperature: Decomposition temperature: There is no information available on this parameter. pH: There is no information available on this parameter. Kinematic viscosity: There is no information available on this parameter. Solubility: Insoluble Partition coefficient n-octanol/water (log value): Does not apply to mixtures. Vapour pressure: There is no information available on this parameter. Density and/or relative density: 7,38 g/cm3 (20°C) Relative vapour density: Does not apply to solids. Particle characteristics: There is no information available on this parameter.

9.2 Other information

No information available at present.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7. Moisture

10.5 Incompatible materials

See also section 7. Avoid contact with strong alkalis. Avoid contact with strong oxidizing agents. Avoid contact with strong acids.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Possibly more information on health enects, see Section 2.1 (classification).									
51121 - Lötzinn bleifrei, ø 1,0 mm, 12,5 g									
51122 - Lötzinn bleifrei, ø 1,0 mm, 100 g									
51123 - Lötzinn bleifrei, ø 1,0 mm, 250 g									
51129 - Lötzinn bleifrei, ø 0,8	51129 - Lötzinn bleifrei, ø 0,8 mm, 250 g								
51131 - Lötzinn bleifrei, ø 0,3	51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes			
Acute toxicity, by oral route:						n.d.a.			
Acute toxicity, by dermal						n.d.a.			
route:									
Acute toxicity, by inhalation:						n.d.a.			
Skin corrosion/irritation:						n.d.a.			

₿ Page 8 of 12						
Safety data sheet according to		EC) No 1907/	2006, Annex	I (last amended b	by Regulation (EU) 202	20/878)
Revision date / version: 15.04.2	2025 / 0003			,	, , ,	,
Replacing version dated / versi	ion: 04.05.202	23 / 0002				
Valid from: 15.04.2025						
PDF print date: 15.04.2025						
51121 - Lötzinn bleifrei, ø 1,0 r	nm 125 a					
51122 - Lötzinn bleifrei, ø 1,0 r						
51123 - Lötzinn bleifrei, ø 1,0 r						
51129 - Lötzinn bleifrei, ø 0,8 r						
51131 - Lötzinn bleifrei, ø 0,35						
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -				-		n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						n.u.a.
RE):						
Aspiration hazard:	+					n.d.a.
Aspiration nazard: Symptoms:						n.d.a.
Symptoms.	L					11.u.a.
Tin						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Skin corrosion/irritation:						Not irritant
Serious eye						Not irritant
damage/irritation:						Not initiant
Respiratory or skin						Not sensitizisin
sensitisation:						
						No
Aspiration hazard:						INU
Copper					· • · · ·	
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Skin corrosion/irritation:						Not irritant
Serious eye						Not irritant
damage/irritation:						
Respiratory or skin						No (skin
sensitisation:						contact)
Symptoms:						abdominal
						pain, vomiting,
						weight loss,
						headaches,
						metal fume
						fever
		le				· · · ·
11.2 Information on ot	her hazaro					
51121 - Lötzinn bleifrei, ø 1,0) mm, 12,5 g					
11.2. Information on ot 51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0) mm, 12,5 g) mm, 100 g					
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0) mm, 12,5 g) mm, 100 g) mm, 250 g					
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8) mm, 12,5 g) mm, 100 g) mm, 250 g 8 mm, 250 g					
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8 51131 - Lötzinn bleifrei, ø 0,3) mm, 12,5 g) mm, 100 g) mm, 250 g) mm, 250 g)5 mm, 100 g				•••	
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8 51131 - Lötzinn bleifrei, ø 0,3 Foxicity / effect) mm, 12,5 g) mm, 100 g) mm, 250 g 8 mm, 250 g	Value	Unit	Organism	Test method	Notes
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8 51131 - Lötzinn bleifrei, ø 0,3 Foxicity / effect Endocrine disrupting) mm, 12,5 g) mm, 100 g) mm, 250 g) mm, 250 g)5 mm, 100 g	Value	Unit	Organism	Test method	Does not apply
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8 51131 - Lötzinn bleifrei, ø 0,3 Foxicity / effect Endocrine disrupting properties:) mm, 12,5 g) mm, 100 g) mm, 250 g) mm, 250 g)5 mm, 100 g	Value	Unit	Organism	Test method	Does not apply to mixtures.
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8 51131 - Lötzinn bleifrei, ø 0,3 Toxicity / effect Endocrine disrupting properties:) mm, 12,5 g) mm, 100 g) mm, 250 g) mm, 250 g)5 mm, 100 g	Value	Unit	Organism	Test method	Does not apply
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8 51131 - Lötzinn bleifrei, ø 0,3 Foxicity / effect Endocrine disrupting properties:) mm, 12,5 g) mm, 100 g) mm, 250 g) mm, 250 g)5 mm, 100 g	Value	Unit	Organism	Test method	Does not apply to mixtures.
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8 51131 - Lötzinn bleifrei, ø 0,3 Foxicity / effect Endocrine disrupting properties:) mm, 12,5 g) mm, 100 g) mm, 250 g) mm, 250 g)5 mm, 100 g	Value	Unit	Organism	Test method	Does not apply to mixtures. No other
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0) mm, 12,5 g) mm, 100 g) mm, 250 g) mm, 250 g)5 mm, 100 g	Value	Unit	Organism	Test method	Does not apply to mixtures. No other relevant
51121 - Lötzinn bleifrei, ø 1,0 51122 - Lötzinn bleifrei, ø 1,0 51123 - Lötzinn bleifrei, ø 1,0 51129 - Lötzinn bleifrei, ø 0,8 51131 - Lötzinn bleifrei, ø 0,3 Toxicity / effect Endocrine disrupting properties:) mm, 12,5 g) mm, 100 g) mm, 250 g) mm, 250 g)5 mm, 100 g	Value	Unit	Organism	Test method	Does not apply to mixtures. No other relevant information

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Page 9 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 15.04.2025 / 0003 Replacing version dated / version: 04.05.2023 / 0002											
Valid from: 15.04.2025											
PDF print date: 15.04.2025											
51121 - Lötzinn bleifrei,	ø 1,0 mm, 12,5	g									
51122 - Lötzinn bleifrei,											
51123 - Lötzinn bleifrei,	ø 1,0 mm, 250	g									
51129 - Lötzinn bleifrei,	ø 0,8 mm, 250	g									
51131 - Lötzinn bleifrei,	ø 0,35 mm, 100	Эg									
51121 - Lötzinn bleifre											
51122 - Lötzinn bleifre											
51123 - Lötzinn bleifre		-									
51129 - Lötzinn bleifre		•									
51131 - Lötzinn bleifre				-							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes				
12.1. Toxicity to fish:							n.d.a.				
12.1. Toxicity to							n.d.a.				
daphnia:											
12.1. Toxicity to algae:							n.d.a.				
12.2. Persistence and							n.d.a.				
degradability:											
12.3. Bioaccumulative							n.d.a.				
potential:											
12.4. Mobility in soil:							n.d.a.				
12.5. Results of PBT							n.d.a.				
and vPvB assessment											
12.6. Endocrine							Does not apply				
disrupting properties:							to mixtures.				
12.7. Other adverse							No information				
effects:							available on				
							other adverse				
							effects on the				
							environment.				

Tin							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance

Copper							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and							Not relevant for
degradability:							inorganic
							substances.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

(GB)

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

06 04 99 wastes not otherwise specified

17 04 07 mixed metals

20 01 40 Metals

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

For contaminated packing material

Pay attention to local and national official regulations. Recycling

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:

Not applicable

.@							
Page 10 of 12							
	/2006, Annex II (last amended by Regulation (EU) 2020/878)						
Revision date / version: 15.04.2025 / 0003							
Replacing version dated / version: 04.05.2023 / 0002							
Valid from: 15.04.2025							
PDF print date: 15.04.2025							
51121 - Lötzinn bleifrei, ø 1,0 mm, 12,5 g							
51122 - Lötzinn bleifrei, ø 1,0 mm, 100 g							
51123 - Lötzinn bleifrei, ø 1,0 mm, 250 g							
51129 - Lötzinn bleifrei, ø 0,8 mm, 250 g							
51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g							
14.2. UN proper shipping name:							
Not applicable							
14.3. Transport hazard class(es):	Not applicable						
14.4. Packing group:	Not applicable						
14.5. Environmental hazards:	Not applicable						
Tunnel restriction code:	Not applicable						
Classification code:	Not applicable						
LQ:	Not applicable						
Transport category:	Not applicable						
Transport by sea (IMDG-code)							
14.1. UN number or ID number:	Not applicable						
14.2. UN proper shipping name:							
Not applicable							
14.3. Transport hazard class(es):	Not applicable						
14.4. Packing group:	Not applicable						
14.5. Environmental hazards:	Not applicable						
Marine Pollutant:	Not applicable						
EmS:	Not applicable						
Transport by air (IATA)							
14.1. UN number or ID number:	Not applicable						
14.2. UN proper shipping name:	···· • • • • • • • • • • • • • • • • •						
Not applicable							
14.3. Transport hazard class(es):	Not applicable						
14.4. Packing group:	Not applicable						
14.5. Environmental hazards:	Not applicable						
14.6. Special precautions for user							
Unless specified otherwise, general measures for safe tra	ansport must be followed						
14.7. Maritime transport in bulk according	•						
Non-dangerous material according to Transport Regulati							
Non-dangerous material according to Transport Regulati	uns.						
SECTION 1	5: Regulatory information						
15.1 Safety, health and environmental reg	ulations/legislation specific for the substance or mixture						
Observe restrictions:							
	ty protection (national implementation of the Directive 92/85/EEC)!						
Comply with trade association/occupational health regula	ations.						
Directive 2010/75/EU (VOC):	0 %						
National requirements/regulations on safety and health p	rotection must be applied when using work equipment.						
15.2 Chemical safety assessment							
A chemical safety assessment is not provided for mixture							
A chemical salety assessment is not provided for mixture	35.						
SECTION	16: Other information						
Revised sections:	2 3 7 8 11 12 15 16						
	2, 3, 7, 8, 11, 12, 15, 16						
These details refer to the product as it is delivered.	and a la construction of						
Employee instruction/training in handling hazardous materials is required.							
Classification and processes used to deriv	Classification and processes used to derive the classification of the mixture in accordance with						
the ordinance (EG) 1272/2008 (CLP):							
Classification in accordance with regulation	on Evaluation method used						
(EC) No. 1272/2008 (CL B)							

Classification in accordance with regulation	Evaluation method used
(EC) No. 1272/2008 (CLP)	
Repr. 2, H361f	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

Page 11 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 15.04.2025 / 0003 Replacing version dated / version: 04.05.2023 / 0002 Valid from: 15.04.2025 PDF print date: 15.04.2025 51121 - Lötzinn bleifrei, Ø 1,0 mm, 12,5 g 51122 - Lötzinn bleifrei, Ø 1,0 mm, 100 g 51123 - Lötzinn bleifrei, Ø 1,0 mm, 250 g 51129 - Lötzinn bleifrei, Ø 0,8 mm, 250 g 51131 - Lötzinn bleifrei, Ø 0,35 mm, 100 g

H361f Suspected of damaging fertility. H373 May cause damage to organs through prolonged or repeated exposure.

Repr. — Reproductive toxicity STOT RE — Specific target organ toxicity - repeated exposure

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council CAS Chemical Abstracts Service CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon for example (abbreviation of Latin 'exempli gratia'), for instance e.a. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community European Inventory of Existing Commercial Chemical Substances **EINECS** ELINCS European List of Notified Chemical Substances **European Norms** EN EPA United States Environmental Protection Agency (United States of America) ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer

Page 12 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 15.04.2025 / 0003 Replacing version dated / version: 04.05.2023 / 0002 Valid from: 15.04.2025 PDF print date: 15.04.2025 51121 - Lötzinn bleifrei, ø 1,0 mm, 12,5 g 51122 - Lötzinn bleifrei, ø 1,0 mm, 100 g 51123 - Lötzinn bleifrei, ø 1,0 mm, 250 g 51129 - Lötzinn bleifrei, ø 0,8 mm, 250 g 51131 - Lötzinn bleifrei, ø 0,35 mm, 100 g IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) International Maritime Code for Dangerous Goods IMDG-code incl. including, inclusive IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ International Convention for the Prevention of Marine Pollution from Ships MARPOL mg/kg bw mg/kg body weight mg/kg bw/d, mg/kg bw/day mg/kg body weight/day mg/kg dw mg/kg dry weight mg/kg wet weight mg/kg wwt n.a. not applicable not available n.av. n.c. not checked n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic PE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon **UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility. These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.

GB